



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/528,036	12/02/2005	Craig A. Andreiko	ORM-231US	2750
26875 7590 03/31/2009 WOOD, HERRON & EVANS, LLP 2700 CAREW TOWER 441 VINE STREET CINCINNATI, OH 45202			EXAMINER EIDE, HEIDI MARIE	
			ART UNIT 3732	PAPER NUMBER
			MAIL DATE 03/31/2009	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/528,036	ANDREIKO, CRAIG A.	
	Examiner	Art Unit	
	HEIDI M. EIDE	3732	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 March 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 26-28 and 45-51 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 26-28 and 45-51 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 March 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>2/16/2009</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement (IDS) submitted on February 16, 2009 is noted. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Drawings

New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the submitted drawing appear to be copies and are not clear. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 48-51 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Support for the newly added limitations including collecting the default information of treatment preferences from the practitioner

Art Unit: 3732

and designing the custom appliances based in part on patient information and a plurality of individual patients cannot be found in the original specification.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 26-28 and 45-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sachdeva et al. 6,315,553 (Sachdeva) in view of DeBusk et al. 5,991,728 (DeBusk).

2. Re claim 26, Sachdeva teaches a method of providing a custom orthodontic appliance for treatment of a patient, the method comprising receiving information from an orthodontic practitioner for providing a custom orthodontic appliance for a patient in response to the information from the orthodontic practitioner (col. 10, ll. 45-52), maintaining a database, accessible by a computer, storing in the database information identifying information relating to treatment plan options including information about orthodontic appliance hardware (col. 5, ll. 46-67), determining parameters for the configuration of a custom orthodontic appliance for the patient and providing to the orthodontic practitioner an orthodontic appliance design for the patient having a configuration that includes the determined parameters (col. 4, ll. 18-39). Sachdeva does not teach the method comprising maintaining a database accessible by computer and containing data related to each of a plurality of practitioners, storing in the

Art Unit: 3732

database, information identifying the practitioners and information relating to treatment plan options including preferences as to one or both of orthodontic prescriptions and orthodontic appliance hardware associated with the respective practitioners. DeBusk teaches the method comprising maintaining a database accessible by computer and containing data related to each of a plurality of practitioners, storing in the database, information identifying the practitioners and information relating to treatment plan options including default preferences as to the hardware associated with the respective practitioners (col. 15, ll. 1-30). It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Sachdeva in view of DeBusk in order to track and minimize costs associated with the delivery of health care.

3. Re claim 27, Sachdeva teaches the method further comprising receiving information from the orthodontic practitioner of a treatment plan option for treatment of the patient and determining at least one of the parameter based at least in part on the information of the treatment plan option received from the orthodontic practitioner (col. 15, ll. 34-37).

4. Re claim 28, Sachdeva teaches the method further comprising receiving information from the orthodontic practitioner of a treatment plan option for treatment of the patient and determining parameter addressed by the information of the treatment plan option received from the orthodontic practitioner in accordance with that information and determining parameters not so addressed in accordance with information stored in the database (col. 10, ll. 26-24).

5. Re claim 45, Sachdeva teaches the method further comprising providing to the orthodontic practitioner the orthodontic appliance manufactured in accordance with the orthodontic appliance design (col. 4, ll. 31-39).

6. Re claim 46, Sachdeva teaches a method of providing a custom orthodontic appliance for treatment of a patient, the method comprising in response to information from an orthodontic practitioner (col. 10, ll. 27-34), providing an orthodontic appliance for an individual patient having a configuration that includes appliance parameters base at least in part on predetermined treatment plan options including information about orthodontic appliance hardware associated with the practitioner (col. 10, ll. 45-52).

Sachdeva does not teach the treatment retrieved from a previously created and maintained database containing database containing data associating a plurality of orthodontic practitioners with treatment plan options including default preferences as to one or both of orthodontic prescriptions and orthodontic appliance hardware respectably preferred by each practitioner. DeBusk teaches the treatment retrieved from a previously created and maintained database containing database containing data associating a plurality of orthodontic practitioners with treatment plan options including default preference as to hardware respectably preferred by each practitioner (col. 15, ll. 1-30). It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Sachdeva in view of DeBusk in order to track and minimize costs associated with the delivery of health care.

7. Re claim 47, Sachdeva teaches a method of providing a custom orthodontic appliance to an orthodontic practitioner for treatment of an individual patient, the method

Art Unit: 3732

comprising in response to a request from an orthodontic practitioner to a custom orthodontic appliance for orthodontic treatment of an individual patient, providing to the orthodontic practitioner a custom orthodontic appliance for orthodontic treatment of the individual patient design in part based on patient-specific information associated with the request and in part based on default information of treatment preference associated with the requesting orthodontic practitioner and retrieved from a database containing previously stored default information data including information about orthodontic hardware (col. 4, ll. 18-39, col. 5, ll. 46-67, col. 10, ll. 45-52). Sachdeva does not teach the database containing previously stored default information data associating each of a plurality of orthodontic practitioners with treatment preferences, including default preference as to one or both of orthodontic prescriptions and orthodontic appliances, to be applied unless otherwise instructed by a requesting orthodontic practitioner. DeBusk teaches teach the database containing previously stored default information data associating each of a plurality of practitioners with treatment preferences, including default preference as to hardware, to be applied unless otherwise instructed (col. 15, ll. 1-30, col. 16, ll. 40-45). It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Sachdeva in view of DeBusk in order to track and minimize costs associated with the delivery of health care.

8. Re claim 48, Sachdeva does not teach the method further comprising collecting, for storage in the database, the default information of treatment preferences from each of the plurality of orthodontic practitioners. DeBusk teaches the method further comprising collecting, for storage in the database, the default information of treatment

Art Unit: 3732

preferences from each of the plurality of practitioners (col. 9, ll. 13-19, col. 10, ll. 30-58).

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Sachdeva in view of DeBusk in order to track and minimize costs associated with the delivery of health care.

9. Re claim 49, Sachdeva teaches the method further comprising designing and manufacturing the custom orthodontic appliance for the individual patient based on the patient specific information and the default information (col. 5, ll. 46-67, col. 7, ll. 9-12, 23-27).

10. Re claim 50, Sachdeva teaches the method further comprising designing the custom orthodontic appliance based in part on patient information relating to the individual patient that had been previously stored in a patient-information database containing patient information relating to a plurality of individual patients (col. 5, ll. 45-67).

11. Re claim 51, Sachdeva teaches the method wherein the patient information relating to the plurality of individual patients includes information relating to patient anatomy (col. 5, ll. 46-50).

Response to Arguments

Applicant's arguments filed March 5, 2009 have been fully considered but they are not persuasive. Applicant argues the support for claim 48 can be found in par. 48-49, however, support for collecting the default information of treatment preference from each of the plurality of orthodontic practitioners cannot be found in those particular paragraphs or anywhere else in the originally filed specification.

Applicant further argues that prior art does not teach the added limitation to each of the independent claims such as "including default preference as to one or both of orthodontic prescriptions and orthodontic appliance hardware." However, Sachdeva teaches a database including information about orthodontic hardware and prescriptions as discussed above. DeBusk teaches a database that store information relating to a plurality of practitioner regarding information relating to default preferences of preferred hardware on a selected procedure as discussed above. It would have been obvious to one having ordinary skill in the art to modify Sachdeva in view of DeBusk for the above stated reasons.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Art Unit: 3732

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HEIDI M. EIDE whose telephone number is (571)270-3081. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on 571-272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Heidi Eide
Examiner
Art Unit 3732

/John J Wilson/
Primary Examiner
Art Unit 3732

/Heidi M Eide/
Examiner, Art Unit 3732

3/27/2009